


ZP3 Series Positive Displacement Pumps



Ampco ZP3 Series Model: ZP3-6

Standard Clearances
Standard Port Size = 1.0"
Displacement =
0.008 Gal/Rev
(0.030 L/Rev)

BHP = WHP + VHP

- Operating Specifications:
- 0-1000 RPM Range
 - 300 PSI (20.7 bar) Max. Pressure
 - Temperature Range
-40 °F (-40°C) to
300 °F (149°C)

Subject to change without notice




Ampco Pumps Company

2045 West Mill Road
Glendale, WI 53209 USA
Phone: (800) 737-8671
(414) 643-1852

Website:
www.ampcopumps.com

ZP3 Series Positive Displacement Pumps



Ampco ZP3 Series Model: **ZP3-15**

Standard Clearances
Standard Port Size = 1.5"
Displacement =
0.014 Gal/Rev
(0.054 L/Rev)

BHP = WHP + VHP

- Operating Specifications:
- 0-800 RPM Range
 - 250 PSI (17.2 bar) Max. Pressure
 - Temperature Range
-40 °F (-40°C) to
300 °F (149°C)

Subject to change without notice




Ampco Pumps Company

2045 West Mill Road
Glendale, WI 53209 USA
Phone: (800) 737-8671
(414) 643-1852

Website:
www.ampcopumps.com

ZP3 Series Positive Displacement Pumps



Ampco
ZP3 Series
Model: ZP3-18
 Standard Clearances
 Standard Port Size = 1.5"
 Displacement =
 0.029 Gal/Rev
 (0.108 L/Rev)

BHP = WHP + VHP

Operating Specifications:

- 0-700 RPM Range
- 200 PSI (13.8 bar) Max. Pressure
- Temperature Range
 -40 °F (-40°C) to
 300 °F (149°C)





Subject to change without notice



Ampco Pumps Company

2045 West Mill Road
 Glendale, WI 53209 USA
 Phone: (800) 737-8671
 (414) 643-1852
 Website:
www.ampcopumps.com

ZP3 Series Positive Displacement Pumps



Ampco ZP3 Series Model: **ZP3-30**

Standard Clearances
Standard Port Size = 1.5"
Displacement =
0.060 Gal/Rev
(0.227 L/Rev)

BHP = WHP + VHP

- Operating Specifications:
- 0-600 RPM Range
 - 250 PSI (17.2 bar) Max. Pressure
 - Temperature Range
-40 °F (-40°C) to
300 °F (149°C)

Subject to change without notice




Ampco Pumps Company

2045 West Mill Road
Glendale, WI 53209 USA
Phone: (800) 737-8671
(414) 643-1852

Website:
www.ampcopumps.com

ZP3 Series Positive Displacement Pumps



Max. Pressure Rating= 450 psi (Viscous Liquids)

Ampco ZP3 Series Model: **ZP3-45**

Standard Clearances
Standard Port Size = 2.0"
Displacement =
0.098 Gal/Rev
(0.371 L/Rev)

BHP = WHP + VHP

- Operating Specifications:
- 0-600 RPM Range
 - 450 PSI (31.0 bar) Max. Pressure
 - Temperature Range
-40 °F (-40°C) to
300 °F (149°C)

Subject to change without notice







Ampco Pumps Company

2045 West Mill Road
Glendale, WI 53209 USA
Phone: (800) 737-8671
(414) 643-1852

Website:
www.ampcopumps.com

ZP3 Series Positive Displacement Pumps



Ampco ZP3 Series Model: **ZP3-60**

Standard Clearances
Standard Port Size = 2.5"
Displacement =
0.153 Gal/Rev
(0.579 L/Rev)

BHP = WHP + VHP

- Operating Specifications:
- 0-600 RPM Range
 - 300 PSI (20.7 bar) Max. Pressure
 - Temperature Range
-40 °F (-40°C) to
300 °F (149°C)

Subject to change without notice







Ampco Pumps Company

2045 West Mill Road
Glendale, WI 53209 USA
Phone: (800) 737-8671
(414) 643-1852

Website:
www.ampcopumps.com

ZP3 Series Positive Displacement Pumps



Ampco ZP3 Series Model: **ZP3-130**

Standard Clearances
Standard Port Size = 3.0"
Displacement =
0.253 Gal/Rev
(0.958 L/Rev)

BHP = WHP + VHP

- Operating Specifications:
- 0-600 RPM Range
 - 200 PSI (13.8 bar) Max. Pressure
 - Temperature Range
-40 °F (-40°C) to
300 °F (149°C)

Subject to change without notice







Ampco Pumps Company

2045 West Mill Road
Glendale, WI 53209 USA
Phone: (800) 737-8671
(414) 643-1852

Website:
www.ampcopumps.com

ZP3 Series Positive Displacement Pumps



Ampco ZP3 Series Model: **ZP3-180**

Standard Clearances
Standard Port Size = 3.0"
Displacement =
0.380 Gal/Rev
(1.438 L/Rev)

BHP = WHP + VHP

- Operating Specifications:
- 0-600 RPM Range
 - 450 PSI (31.0 bar) Max. Pressure
 - Temperature Range
-40 °F (-40°C) to
300 °F (149°C)

Subject to change without notice







Ampco Pumps Company

2045 West Mill Road
Glendale, WI 53209 USA
Phone: (800) 737-8671
(414) 643-1852

Website:
www.ampcopumps.com

ZP3 Series Positive Displacement Pumps



Ampco ZP3 Series Model: **ZP3-220**

Standard Clearances
Standard Port Size = 4.0"
Displacement =
0.521 Gal/Rev
(1.972 L/Rev)

BHP = WHP + VHP

- Operating Specifications:
- 0-600 RPM Range
 - 300 PSI (20.68 bar) Max. Pressure
 - Temperature Range
-40 °F (-40°C) to
300 °F (149°C)

Subject to change without notice



Ampco Pumps Company

2045 West Mill Road
Glendale, WI 53209 USA
Phone: (800) 737-8671
(414) 643-1852

Website:
www.ampcopumps.com